

Data structures in Python

Lecture 04

Dr. Colin Rundel

Other containers

Dictionaries

Python `dicts` are a *heterogenous, ordered**, *mutable* containers of key value pairs.

Each entry consists of a key (immutable) and a value (anything) - they are designed for the efficient lookup of values using a key.

A `dict` is constructed using `{}` with `:` or via `dict()` using tuples,

```
1 {'abc': 123, 'def': 456}
```

```
{'abc': 123, 'def': 456}
```

```
1 dict([('abc', 123), ('def', 456)])
```

```
{'abc': 123, 'def': 456}
```

If all keys are strings then it is possible assign key value pairs as keyword arguments to `dict()`,

```
1 dict(hello=123, world=456) # cant use def here as it is reserved
```

```
{'hello': 123, 'world': 456}
```

Allowed key values

keys for a `dict` must be an immutable object (e.g. number, string, or tuple) and keys do not need to be of a consistent type.

```
1 {1: "abc", 1.1: (1,1), "one": ["a","n"], (1,1): lambda x: x**2}
```

```
{1: 'abc', 1.1: (1, 1), 'one': ['a', 'n'], (1, 1): <function <lambda> at 0x152979e10>}
```

Using a mutable object (e.g. a list) will result in an error,

```
1 {[1]: "bad"}
```

```
TypeError: unhashable type: 'list'
```

when using a tuple, you need to be careful that all elements are also immutable,

```
1 {(1, [2]): "bad"}
```

```
TypeError: unhashable type: 'list'
```

dict “subsetting”

The `[]` operator exists for `dicts` but is used for value look up using a key,

```
1 x = {1: 'abc', 'y': 'hello', (1,1): 3.14159}
```

```
1 x[1]
```

'abc'

```
1 x['y']
```

'hello'

```
1 x[(1,1)]
```

3.14159

```
1 x[0]
```

KeyError: 0

```
1 x['def']
```

KeyError: 'def'

Value inserts & replacement

Dictionaries are mutable, so it is possible to insert new key value pairs as well as replace the value associated with an existing key.

```
1 x = {1: 'abc', 'y': 'hello', (1,1): 3.14159}
```

```
1 # Insert
2 x['def'] = -1
3 x
```

```
{1: 'abc', 'y': 'hello', (1, 1): 3.14159, 'def': -1}
```

```
1 # Replace
2 x['y'] = 'goodbye'
3 x
```

```
{1: 'abc', 'y': 'goodbye', (1, 1): 3.14159, 'def': -1}
```

Removing keys

```
1 x
```

```
{1: 'abc', 'y': 'goodbye', (1, 1): 3.14159, 'def': -1}
```

```
1 # Delete  
2 del x[(1,1)]  
3 x
```

```
{1: 'abc', 'y': 'goodbye', 'def': -1}
```

```
1 x.clear()  
2 x
```

```
{}
```

Other common methods

```
1 x = {1: 'abc', 'y': 'hello'}
```

```
1 len(x)
```

2

```
1 list(x)
```

[1, 'y']

```
1 tuple(x)
```

(1, 'y')

```
1 1 in x
```

True

```
1 'hello' in x
```

False

```
1 x.keys()
```

dict_keys([1, 'y'])

```
1 x.values()
```

dict_values(['abc', 'hello'])

```
1 x.items()
```

dict_items([(1, 'abc'), ('y', 'hello')])

```
1 x | {(1,1): 3.14159}
```

{1: 'abc', 'y': 'hello', (1, 1): 3.14159}

```
1 x | {'y': 'goodbye'}
```

{1: 'abc', 'y': 'goodbye'}

Iterating dictionaries

Dictionaries can be used with for loops (and list comprehensions) but the loop will only iterate over the *keys* - to get values use `values()` or `items()` methods.

```
1 for z in {1: 'abc', 'y': 'hello'}:  
2     print(z)
```

```
1  
y
```

```
1 [z for z in {1: 'abc', 'y': 'hello'}
```

```
[1, 'y']
```

```
1 for k,v in {1: 'abc', 'y': 'hello'}:  
2     print (k,v)
```

```
1 abc  
y hello
```

```
1 [(k,v) for k,v in {1: 'abc', 'y': 'hello'}
```

```
[(1, 'abc'), ('y', 'hello')]
```

Sets

In Python a `set` is a *heterogenous, unordered, mutable* container of **unique** immutable elements.

A `set` is constructed using `{}` (without a `:`) or via `set()`,

```
1 {1,2,3,4,1,2}
```

```
{1, 2, 3, 4}
```

```
1 set((1,2,3,4,1,2))
```

```
{1, 2, 3, 4}
```

```
1 set("mississippi")
```

```
{'p', 'm', 's', 'i'}
```

All of the elements must be immutable (and therefore hashable),

```
1 {1,2,[1,2]}
```

```
TypeError: unhashable type: 'list'
```

Subsetting sets

Sets do not use the `[]` operator for element checking or removal,

```
1 x = set(range(5))  
2 x
```

```
{0, 1, 2, 3, 4}
```

```
1 x[4]
```

```
TypeError: 'set' object is not subscriptable
```

```
1 del x[4]
```

```
TypeError: 'set' object doesn't support item deletion
```

Modifying sets

Sets have their own special methods for adding and removing elements,

```
1 x = set(range(5))
2 x
```

```
{0, 1, 2, 3, 4}
```

```
1 x.add(9)
2 x
```

```
{0, 1, 2, 3, 4, 9}
```

```
1 x.remove(9)
2 x.remove(8)
```

```
KeyError: 8
```

```
1 x
```

```
{0, 1, 2, 3, 4}
```

```
1 x.discard(0)
2 x.discard(8)
3 x
```

```
{1, 2, 3, 4}
```

Set operations

```
1 x = set(range(5))  
2 x
```

{0, 1, 2, 3, 4}

```
1 3 in x
```

True

```
1 x.isdisjoint({1,2})
```

False

```
1 x <= set(range(6))
```

True

```
1 x >= set(range(3))
```

True

```
1 5 in x
```

False

```
1 x.isdisjoint({5})
```

True

```
1 x.issubset(range(6))
```

True

```
1 x.issuperset(range(3))
```

True

Set operations (cont)

```
1 x = set(range(5))  
2 x
```

{0, 1, 2, 3, 4}

```
1 x | set(range(10))
```

{0, 1, 2, 3, 4, 5, 6, 7, 8, 9}

```
1 x & set(range(-3,3))
```

{0, 1, 2}

```
1 x - set(range(2,4))
```

{0, 1, 4}

```
1 x ^ set(range(3,9))
```

{0, 1, 2, 5, 6, 7, 8}

```
1 x.union(range(10))
```

{0, 1, 2, 3, 4, 5, 6, 7, 8, 9}

```
1 x.intersection(range(-3,3))
```

{0, 1, 2}

```
1 x.difference(range(2,4))
```

{0, 1, 4}

```
1 x.symmetric_difference(range(3,9))
```

{0, 1, 2, 5, 6, 7, 8}

More comprehensions

It is possible to use comprehensions with both `sets` and `dicts`,

```
1 # Set
2 {x.lower() for x in "The quick brown fox jumped a lazy dog"}
```

```
{'t', 'l', 'n', 'x', 'm', 'c', 'w', 'p', 'b', 'e', 'r', 'k', 'd', 'g', 'y', 'q',
'h', 'u', 'a', 'z', 'j', 'o', 'i', 'f', ' '}
```

```
1 # Dict
2 names = ["Alice", "Bob", "Carol", "Dave"]
3 grades = ["A", "A-", "A-", "B"]
4
5 {name: grade for name, grade in zip(names, grades)}
```

```
{'Alice': 'A', 'Bob': 'A-', 'Carol': 'A-', 'Dave': 'B'}
```

tuple comprehensions

Note that `tuple` comprehensions do not exist,

```
1 # Not a tuple
2 (x**2 for x in range(5))
```

<generator object <genexpr> at 0x152974f90>

```
1 # Is a tuple - via casting a list to tuple
2 tuple([x**2 for x in range(5)])
```

(0, 1, 4, 9, 16)

```
1 tuple(x**2 for x in range(5))
```

(0, 1, 4, 9, 16)

deques (double ended queue)

These are *heterogenous, ordered, mutable* collections of elements and behave in much the same way as `lists`. They are designed to be efficient for adding and removing elements from the beginning and end of the collection.

These are not part of the base language and are available as part of the built-in `collections` library. More on libraries next time, but to get access we will need to import the library or the `deque` function from the library.

```
1 import collections
2 collections.deque([1,2,3])
```

```
deque([1, 2, 3])
```

```
1 from collections import deque
2 deque("A",2,True)
```

```
deque(['A', 2, True])
```

growing and shrinking

```
1 x = deque(range(3))
2 x
```

```
deque([0, 1, 2])
```

Values may be added via `.appendleft()` and `.append()` to the beginning and end respectively,

```
1 x.appendleft(-1)
2 x.append(3)
3 x
```

```
deque([-1, 0, 1, 2, 3])
```

values can be removed via `.popleft()` and `.pop()`,

```
1 x.popleft()
```

```
-1
```

```
1 x.pop()
```

```
3
```

```
1 x
```

```
deque([0, 1, 2])
```

maxlen

`deque`s can be constructed with an optional `maxlen` argument which determines their maximum size - if this is exceeded values from the opposite side will be dropped.

```
1 x = deque(range(3), maxlen=4)
2 x
```

```
deque([0, 1, 2], maxlen=4)
```

```
1 x.append(0)
2 x
```

```
deque([0, 1, 2, 0], maxlen=4)
```

```
1 x.append(0)
2 x
```

```
deque([1, 2, 0, 0], maxlen=4)
```

```
1 x.append(0)
2 x
```

```
deque([2, 0, 0, 0], maxlen=4)
```

```
1 x.appendleft(-1)
2 x
```

```
deque([-1, 2, 0, 0], maxlen=4)
```

```
1 x.appendleft(-1)
2 x
```

```
deque([-1, -1, 2, 0], maxlen=4)
```

```
1 x.appendleft(-1)
2 x
```

```
deque([-1, -1, -1, 2], maxlen=4)
```

Basics of algorithms and data structures

Big-O notation

This is a tool that is used to describe the complexity, usually in time but also in memory, of an algorithm. The goal is to broadly group algorithms based on how their complexity grows as the size of an input grows.

Consider a mathematical function that exactly captures this relationship (e.g. the number of steps in a given algorithm given an input of size n). The Big-O value for that algorithm will then be the largest term involving n in that function.

Complexity	Big-O
Constant	$O(1)$
Logarithmic	$O(\log n)$
Linear	$O(n)$
Quasilinear	$O(n \log n)$
Quadratic	$O(n^2)$
Cubic	$O(n^3)$
Exponential	$O(2^n)$

Generally algorithms will vary depending on the exact nature of the data and so often we talk about Big-O in terms of expected complexity and worse case complexity, we also often consider amortization for these worst cases.

Vector / Array

Linked List

Hash table

Time complexity in Python

Operation	list (array)	dict (& set)	deque
Copy	$O(n)$	$O(n)$	$O(n)$
Append	$O(1)$	—	$O(1)$
Insert	$O(n)$	$O(1)$	$O(n)$
Get item	$O(1)$	$O(1)$	$O(n)$
Set item	$O(1)$	$O(1)$	$O(n)$
Delete item	$O(n)$	$O(1)$	$O(n)$
<code>x in s</code>	$O(n)$	$O(1)$	$O(n)$
<code>pop()</code>	$O(1)$	—	$O(1)$
<code>pop(0)</code>	$O(n)$	—	$O(1)$

Exercise 1

For each of the following scenarios, which is the most appropriate data structure and why?

- A fixed collection of 100 integers.
- A stack (first in last out) of customer records.
- A queue (first in first out) of customer records.
- A count of word occurrences within a document.

